bose surround sound system manual



File Name: bose surround sound system manual.pdf

Size: 4033 KB

Type: PDF, ePub, eBook

Category: Book

Uploaded: 20 May 2019, 21:15 PM

Rating: 4.6/5 from 609 votes.

Status: AVAILABLE

Last checked: 6 Minutes ago!

In order to read or download bose surround sound system manual ebook, you need to create a FREE account.

Download Now!

eBook includes PDF, ePub and Kindle version

- Register a free 1 month Trial Account.
- ☐ Download as many books as you like (Personal use)
- ☐ Cancel the membership at any time if not satisfied.
- **☐ Join Over 80000 Happy Readers**

Book Descriptions:

We have made it easy for you to find a PDF Ebooks without any digging. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with bose surround sound system manual . To get started finding bose surround sound system manual , you are right to find our website which has a comprehensive collection of manuals listed.

Our library is the biggest of these that have literally hundreds of thousands of different products represented.



Book Descriptions:

bose surround sound system manual

Changes or modifications not expressly approved by Bose Corporation could void the user's authority to operate this equipment. No part of this work may be reproduced, modified, distributed or otherwise used without prior written permission. E N G. Use the power cord for your region. NOTE If any part of the product is damaged, do NOT use it. Contact your authorized Bose dealer or Bose customer service. To purchase these accessories, visit Bose.com or contact your local Bose dealer. CAUTION Only use Bose hardware to mount the speakers. Using unauthorized mounts may damage your Bose system and its components. The receivers come preset to a left and right channel out of the box. You can use the switch on the front of the receiver to adjust the channel settings. Choose your connection method from the table below. SOUNDBAR CONNECTION METHOD Connect using the Bose Music app see page 16. You hear sound coming from the surround speakers. NOTE If you don't hear sound from the surround speakers, see "Troubleshooting" on page 25. E N G. ADAPTiQ audio calibration customizes the sound of the system to the acoustics of your listening area by taking five audio measurements. Follow the app instructions. Use the Settings menu If you later connect the optional Bose Bass Module 500, Bose Bass Module 700 or Acoustimass 300 bass module, or move the speakers or move any furniture, run ADAPTiQ audio calibration to ensure optimal sound quality. TIP If you later connect the optional Bose Bass Module 500, Bose Bass Module 700 or Acoustimass 300 bass module, or move the speakers or move any furniture, run ADAPTiQ audio calibration again to ensure optimal sound quality. CAUTIONS Do NOT allow liquids to spill onto the surround speakers or into any openings. Do NOT use any sprays near the surround speakers. Do NOT use any solvents, chemicals or cleaning solutions containing alcohol, ammonia or abrasives.http://albatrossmrn.com/konadnew/userfiles/computer-organization-and-architecture-instr uctor-s-manual-chapter-5.xml

bose surround sound system manual, bose 5.1 surround sound system manual, bose 5 speaker surround sound system manual, bose lifestyle 5 surround sound system manual, bose 1 2 3 surround sound system manual, bose surround sound system manual, bose surround sound system manual 2016, bose surround sound system manual download, bose surround sound system manual pdf, bose surround sound system manual free, bose surround sound system manual, bose acoustimass surround sound system manual.

Move the surround speakers and soundbar away from possible interference wireless routers, cordless phones, televisions, microwaves, etc.. Place the surround speakers according to the placement guidelines see page 10. Firmly insert the adapters into the speakers. Place the surround speakers according to the placement guidelines see page 10. Test different sources if available. After correcting your problem, you must rerun ADAPTiQ audio calibration see page 18. If you hear a different error message, contact Bose customer service for further instructions. E N G. Opening or removing covers may expose you to dangerous voltages or other hazards. Please call Bose to be referred to an authorized service center near you. 15. To prevent risk of fire or electric shock, avoid overloading wall outlets, extension cords, or integral convenience receptacles. Save all packing materials for possible future use. The original packing materials provide the safest way to transport your speaker system. If any part of the product appears damaged, do not attempt to use the system. Notify Bose or your authorized Bose dealer immediately. Portable CD players often use a 3.5 mm stereo headphone jack, instead of the RCA jacks found on larger components. Turning on different sources in more than one room Let's say you have a tworoom system rooms A and B and the entire

system is off. To turn on a different source in each room 1. Customer Service For additional help in solving problems, contact Bose address list enclosed in the product packaging for correct phone numbers. Details are provided on the warranty card that came with your system. Please fill out the information section on the card and mail it to Bose Corporation. Cleaning the Lifestyle Clean the surface of your speakers with a soft, damp cloth. Do not use any sprays near the system. http://nuptini.com/userfiles/nuptini/computer-organization-and-architecture-solutions-manual.xml

And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Bose Centerpoint Surround Sound System Owners Manual. To get started finding Bose Centerpoint Surround Sound System Owners Manual, you are right to find our website which has a comprehensive collection of manuals listed. Our library is the biggest of these that have literally hundreds of thousands of different products represented. I get my most wanted eBook Many thanks If there is a survey it only takes 5 minutes, try any survey which works for you. Before you begin. Page 5 Placing your speakers to achieve realistic home theater sound Setting Up. Figure 1. Carton contentsPage 6 Setting Up. A suggested home. Page 7 Setting UpPage 8 Connecting the speakers Setting Up. Connecting the speakersAlways connectPress the termi. Page 10 Setting UpPage 11 Setting Up. Figure 6Checking the connectionsFor realistic home theater sound. Page 14 Setting your analog surround sound receiver Using your system. Be sure to get the digital audio signalPage 15 Customer service Reference. TroubleshootingCleaning the speakers. Page 17 Accessories Reference. Warranty period. And by having access to our ebooks online or by storing it on your computer, you have convenient answers with Acoustimass 9 Manual. To get started finding Acoustimass 9 Manual, you are right to find our website which has a comprehensive collection of manuals listed. Iaundrytub. in a wet basement. near a swtmming pool. orWider than the other.Do not change Important Safety Instruct on No 70 provides information with respect to proper Refer to the antennaLine Sum —To prevent damage to this productA, the power supply cord or the plug has beenB. objects have fallen or Iidwd has spilled into theO. the product has been exposed to rain or water, or. B. the product does not appear to operate normally or E.

the product has been dropped or the cabinetAfter any service or Be sure that any replacement pans used have the sameAntenna grounding. Example of antenna grounding as per National Electrical. Lead ln Wrre. Antenna. Discharge Um! WEC smmn m an. Gluundlnn. CnnductursElectric. Servrce. EuleEnlElectrode SystemNote to CATV system installer. This reminder Is provided Io call the CATV system installersThe Mountm. remitgnaw motrowrss USA. Information about productsthatPart 15 oi the FCC Rules These llmllS are designed to provtdeInstallation ll this equipment does cause harmlul interferenceOwner's GuideHvaluation Owner's GUideThe lightning ilash With arrowhead symbol, within an equilateral triangle, is intended to alertThe exclamation point within an equilateral triangle, as marked on the system, is intended to A CAUTION To prevent electric shock, match Wide blade of plug to Wide slot. Class 1 laser product. This compact disc player is classified as a CLASS 1 LASER product. The. CLASS 1 LASER PRODUCT label is located on Ihe bariumClass B emissions limits. This Class B digital apparatus meets all requirements of the Canadian InterferenceCausing. Equipment Regulations. Batteries. Please dispose of used batteries properly, following any local regulations. Do not incinerate. Additional safety information. See the additional instructions on the Important Safety information page enclosed with this Please read this owner's guide. Please take the time to follow this owners guide carefully. It will help you set up and operateSave your owners guide forLifestyle 50 system. Where to find. Setting Up. Unpacking the carton. Connecting your system. Connecting your home theater components to the Lifestyle system. Other connections. Connecting the antennas. Connecting power to your system. Setting up the personal music cente. Operating Your Lifestyle' 50 System. The personal music center display. Listening to the radio. Listening to compact discs. Listening to home theater sound.

Using the system with external components. Operating a Multiroom System. Connecting additional rooms. Operating more than one room. Cleaning the Litestyle 50 system. Replacing batteries. Using the personal music center "f d me" feature. Troubleshooting. Customer service. Product Intonnation. Technical information. AccessoriesBose" Corporation. For your records. Serial numbers are located on the bottom panels of the personal music center, multiroomPersonal music center serial number. Multiroom interlaoe serial number. CD changer serial number. Acoustirnass module serial number. Dealer name. We suggest you keep your sales slip and warranty card together with this owners guide. LilestyleSOsysreni 3. Thank you for purchasing the Bose Lifestyle" 50 system. Years of research bring you this Technological innovations that make the Lilestyle 50 system unique The personal music center is a clear departure from convention it has no cables. Since theBose Jewel Cube speakers are also far from the conventional. Proprietary Bose technologies The other elements of the Lifestyle 50 system are designed to be hidden from viewDVD, digital TV. nextgeneration cable boxes and satellite receivers. For all analog formats, as Your Litestyle 50 system Is. DVD, digital TV, and digital cable boxes and satellite receivers. VCRs. stereo TVs, cable boxes and satellite receivers. Videostage decoding directs stereo information to the surround channels, so the sound of Videostage decoding delivers live greatsounding channels, even when the originalThese, and numerous other innovations, bring you the Litestyte 50 system, offering superbPlease take the time to follow this ownefs guide carefully. It will help you set up and operate. Save your owner's guide forDolby Laboratories Licensing Corporation. LlIestyfe so system. Unpacking the cartonWhat comes with your. Lifestyle" 50 systemCarelully unpack your system. Save all packing materials for possible future use.

The Note Find the serial numbers on the bottom panels of the personal musrc center, multiThen wrrte them on your warrantyWARNING The Acausllmass module weighs 33 pounds 15 kg. Use good lilting. WARNING To avoid danger of suffocation, keep the plastic bags out 0! the reach of Personal musc oentor. Rubber feel 4. Aoouslirnass module. Rubber leet a" Figure 24. Selecting a station to store. Figure 25. Alter storing a station as You can use the PRESETS MENU to set presets. PRESETS Is only available in the MENU listPress the MENU button until PRESETS is displayed. It a number is ashing in the PRESEI display indicating that this station has not been preset, Or, select a different stationSelect the statlon you went to preset. ThenUsing the PRESEIS MENU allows you to do additional preset management, making it easierAny station can be assigned to more than one preset number. Or, you can reserve different number groups for different types of stations. For easy referEraslng a preset station. To erase a preset station. Select the frequency or preset numberIn addition. to erase a preset statlon In locations 1 through 9, you can use quickstore from Note When all 25 FM or 25 AM preset locations are filled, and you hold down the areaOperating Your. Figure 26. Loading and ejecting a CD. Figure 27. Loading and unloading the CDUsing the CD changer. You can load up to six compact discs at a time. Loading discs into the CD magazine. Hold the magazine, looking at the side with the arrow. Insert up to six discs, label side upNote the slot numbers 1 through 6, CAUTION Do not insert more than one also into any slot Forcing two discs into one slotCD changer. Note If a disc is upsidedown, it does not play The display ashes the disc number. Electing discs from the CD magazine. Press the white lever that corresponds to the disc you want to eject. This ejects the disc farLoading the CD magazine into the CD changer. Open the CD changer door.

Insert the CD magazine fully into the CD changer, following the Eiseting the CD magazine from the CD changer. Press the EJECT button, at the lower left of the magazine slot, to remove the magazine Eject button. Lilostyie Sasystem 25. Operating Your Lilestyl. Figure 28. The CD display Turning the system on and choosing the CD player. Press the CD button to turn the system on and select the CD player. CD appears in the source display area. It a CDThe CD display provides information In three main areas, each with left and right arrowPause a CD PAUSE II and II ashes. Pause changes to stop after 10 minutes. Unpause a CD PAUSE II, PLAY b, STOP I, CD, or OFF. Stop a CD STOP I. After pressing STOP I, the display briefly shows the total time. Go to next track TRACK

display right arrow button. Skipping to the next track wraps from the last track back to the rst of the current disc. You can skip tracks while paused. Go to beginning of current track TRACK display left arrow button. Go to previous track TRACK display left arrow button twice. In RANDOM mode, skips to previous track played. Skipping back from the rst trackPlay another disc DISC display left or right arrow button. In PLAY mode, selects the next or previous disc; in RANDOM mode, randomly selectsScanning up or down stops at the ends at the disc. You can scan a CD while paused. Note To prevent excessive wear on the CD mechanism, unattended CD play or randomTo leave music playing unattended for longerThe personal music center display provides the following information about the CD changerLilestyle so system. To prevent a track lrom playing, press the OMIT TRACK button. The track is skipped and isIncluding omitted tracks. Omitted tracks are indicated by OMITTED next to the right TRACK arrow.OMITTED lc INCLUDED.Display showing an omittedTrack 8 is Use to cancel. OMITED OMUTEDDisplay showing omitted lack I DOmit hack 8Limryis 50 system 27. Using the CD OPTIONS MENU. Press the MENU button until CD OPTIONS ls displayed.

CD options screen while CD is up,EH 8 Wms a "aCD programming repeat options. Random and Nepal modes. Repeat modes allow you to play CDs for 24 hours or until you select STOP I or OFE Press. DONE to accept your settlngs.By selecting CD LIST rst the following random and repeat options play your programmed. CD list the same way they play a disc!" Note. If you select random and repeat modes that cannot be combined REPEAT TRACKOpera ng Your Lifestyle" 50 System. CD ProgrammingVou can edit a CDIn the CD OPTIONS MENU Figure 31, press EDIT CD LIST to begin creating your CD play. Iisl. Flynn 32. Beginning CD programmingReady for rst To addThe track and disc numbersFigure 33. CLEAR and CLEAR LIST ageRepeat selecting disc and track numbersThe display offers dashes for the trackLflesryfeSO system 29. Opera 9 Your Lifestyle 50 System. Figure 34. Ready to play CD LISTThe item number begins ashingPLAY list play. Press the CD LIST button to play your CD list.CD, it is skipped while the list plays. To erase the entire list, press the CLEAR LIST button in the CD OPTIONS MENU, and conrmLifestyta 50 system. Listening to home theater soundBuiltIn Dolby Digital AC3 decoding deliversDialogue remains locked onsoreen.Listening to digital sound. Turning the digitli audio source on. Turn on the DVD player, digital TV.Be sure to load the DVD discTurning the system on and choosing digital sound. Press AUX on the personal music center to turn your system on to play digital sound. Seiocting listening material. To select material with compatible digital audio bllstreams, look for the terms POM or Dolby. Digital, or the symbols ml or. on DVDVideo discs. Your Lifestyle" 50 system cannot. To select surroundencoded analog or digital audio material, look for the terms Surround or. Ing a TV broadcast. You can listen to any program material in SURROUND 5speaker mode, although you may Some monaural and stereo materials willEven with surroundencodedOperating Your Lifestyle 50 System.

Speaker DpIions and center and Figure 35. VIDEO 1 wilh FILM BASSPress the MENU button until SPEAKERS Is displayed. The SPEAKERS MENU allows you to Selectiny number a! speaker Adjusting center and surround levels. The center and surround adjustments are remembered for the room in which they were used. The levels are factory preset at zero. Use the arrow buttons to adjust the levels. Using film bass for movie soundtracks. While using AUX, VIDEO 1, VIDEO 2, and TAPE, you can select lm bass, an enhanced bassPress FILM BASS to turn You can turn it on for Operating Your Lifestyle "50 System. Figure 37. The RECORD OUT MENUFollow the instructions on page 15 for connecting components. Turn on your component directly or by using its remote control. Use VOLUME A or V on yourNote The Lifestyle 50 system cannot tum a connected component on or off. Turning the system on and selecting the component. Press VIDEO 1, VIDEO 2, AUX, or TAPE on your personal music center to select the desired The appropriate display indicator appears when the system is on and the component is Using a tape recorder with your system. To record on a connected tape deck, use the MENU button to select RECORD OUT. You can The signal of the selected source is directed to the. RECORD OUT lacks even it you are not listenan to that source the recording. The selected source is displayed in place of the dashes. The dashes reappear it selected for. RECORD

OUT, the CD player shuts oft after 24 hours. RECORD OUT is shown on the dlsplay when a source to which you are listening is alsoS mu mmw. Note If you do not use the RECORD OUT option from the MENU, the source playing is. In a mumroom system, the source in the lowest conWhen you are ready, set the tape deck to record. Utsstylai syslsm 33. Finetuning your system. Figure 38. Bass and treble controlsIf desired, you can further finetune your system as described here. Adjusting speaker controls.

The Lifestyle 50 system TREBLE and BASS controls are located on the AcoustimassYou can also locate the normal setting by feeling when the control settles into the notch atCompensating for room acoustics. The acoustics sound qualities of your room can affect the overall sound quality of anyToo much or too little treble. Rooms with too few soundabsorbing furnishings, especially those with bare floors and walls, Rooms with a lot of soundabsorbing furnishings, such as upholstered furniture, walltowallMoving speakersYou can increase treble sound by slightly. Too much or too little bass. You can decrease bass sound by turning down the bass control toward —. To increase bass. Acoustimass module placement affects the amount of bass you hear. Placing the module Moving the module away from the comerCompensating for movie soundtracks. When a movie soundtrack Is played In a motion picture theater, its basis restored to the fullTo perform the same way in your home, your. AUX, or TAPE modes, use the FILM BASS button to select between standard and lmLifestyle so system. Operating Your Lifestyle 50 System. Adjusting signal levels. This setting allows you to adjust and equalize the signal level of sourcu that are not built—inPress the MENU button until SIGNAL LEVELS Is displayed. You can watch it After listening to the Figure 39. Signal levels options while inYou can adjust the contrast on the touchscreen. Hold down the SOURCE button for vePress the lower arrows to select the contrast levelFiguru 40. LCD contrast adjustmentAdjustlng the personal music center beep. You can adjust the sound made by the touchscreen to acknowledge a button press. HoldUse the upperUse the arrow buttons to select between Lo, HI,Flgure 41. Beep adjustment displayConnecting additional rooms. Follow the placement guidelines for the Bose powered speakers that you plan to connect.

Then review your plan for how to connect these speakers to the muttiroom interface In yourA CAUTION Make sure all components are unplugged from the power outlet before youConnect the audio input cable from your additional powered speakers to the selected ROOMROOM 8. c, or D on the back of the Interface.]" Note Be sure that each connector is inserted completely into each jack.HOOMjacks on the mumroomRoom A, B, C. and D jacks. JN Note. If you connect Bose powered home theater speakers, the system automatically offersPress the FILM BASS button to turn. It on or all, FILM BASS is on when you select VIDEO I or 2 or AUX. Since SPEAKER options and FILM BASS do not apply for stereo use, these controls are notOperating a MumRoom L eslyle" 50 System. Your Ulestyle 50 system is able to control up to four rooms of speakers. These rooms areWhen you have two or more rooms connected, you can play the same or different sources in Shared source When two or more rooms are listening to the same source, they are sharingLinked rooms When two or more rooms are linked, they function as if they were one room. if Keep In mind that there are limits to using different sources In different rooms. With one tuner, Similarly, with one CD player, the Using the ROOM button. Use the ROOM button to select one or more rooms to control. The displayUse the following examples of fourroom systems to understand the sequence of ROOMExample 1 Room A FM on, Rooms 5 and c CD on, Room B off. Button press Display shows. Starting illExampleZRoomsA andc FMon, HumtBandD cDon. Starting CLllestyfe so system 37. Operating a MultiRoom Lifestyle 50 System. Using the HOUSE button. Use the HOUSE button to control all connected rooms together. Press HOUSE to see emptyEigun 43. Pressmg the HOUSE button withFigure 44. Pressing the HOUSE button and. FM in Iourvoom system.

J'' More Press the HOUSE button before each different command to apply that command to all The only MENU items available while in HOUSE mode are CLEAN SCREEN and CD 0. TIONS CD

programming. Pressing HOUSE and a source turns all rooms on in this source. The display lls the emptyPressing HOUSE and VOLUME changes the volume oi all rooms that are on. When youThe system adjusts the Pressing HOUSE and MUTE mutes all rooms that were on. Any rooms that were The individual rooms Pressing HOUSE and SLEEP applies the SLEEP mode to all rooms that were on. Pressing HOUSE displays empty boxes for all connected rooms. Pressing SLEEP shows allThe SLEEP tlme selected applies to all the rooms that were on even if they were playingYou can accept this time or Change It for all the rooms. SLEEP, CLEAR, and DONE. Note You can set different sleep times for individual rooms by using the ROOM button to Regardless of how many rooms are on. Canceling HOUSE mode. If you do not press any additional buttons after pressing HOUSE, presslng HOUSE againUnlinklng room. After you have linked the rooms using the HOUSE button or by selecting the group of roomsThis room is now removed from the linked group. Using more than one personal music center. To operate a multimom system, you may want to add personal music centers In the addiTo add a new personal music center to your system, follow the setup instructions on page 17. Be sure to Install the batteries and turn it on for the rst time within three feet of the multl—LlfestyfeSa system 39. Cleaning the Llfestyle 50 system. Figun 45. Entering the CLEAN SCREENFigure 45. Handling %. Figure 47. Cleaning a CDFor information on replacing the personal music center batteries see page 17. Cleaning the touchscreenPress the MENU button until CLEAN SCREEN is displayed. Press the DISABLE KEYS buttonPress DONE to exit from CLEAN SCREEN or press. MENU to select another menu item. You can use an ammoniafree window cleaner on a soft cloth to wipe the screen. Handling CDs.

Handle discs by their edges to prevent ngerprints and scratmes Figure 46. To remove stains or ngerprints from the surface of a disc. use a soft. lintfree, dry cloth. WipeDo not use anyDo not write on, or attach labels to the surface of the disc. To minimize exposure to dust and dirt, replace discs in their cases after use. Store each discCleaning the CD changer. Use only a soft cloth to clean the outside of the CD changer. Do not use any solvents, chemicals, or cleaning solutions containing alcohol, ammonia, orDo not use any sprays near the Cleaning the speakers and Acnustimass module. Clean the surface of your speakers with a soft, damp cloth. You can use an ammoniafreeDo not use any sprays near the system. 00 not use any solvents, chemicals. The speaker grille panels require no special care.CAUTION ff liquids get into the product, turn the system offend allow it to air dry. Then turnLilestyfe so sysmm. There are ve successive levels of warnings to alert you to replace the personal music centerFigure 48. The most severe low batterySee page 17 forUsing the personal music center "find me" feature. Press the LOCATE. CONTROLLER button on the back of the multiroom interface under the antenna connecThe personal music center begins beepingYou can stop the beep by touchingFigure 49. The LOCATE CONTROLLERLOCATE CONTROLIER button. LifesMeWsystem 41. Problem. System does not tunctionWhat to doThis allows theAUDIO INPUT jack.Make sure to select the correctNo sound fromToo much soundNo sound fromSurround speakersPersonal music centerSee pages 17 and 39. Then turn on the personal musicProblem. CD does not play. Radio does not work. FM sound is distorted. Sound is distorted. No tape, CD, VCR, Warranty period. What to doDisplay shows need if noClean the CD. See Figure 46. Call Bose Product Support see insideUse SIGNAL LEVELS MENU to determinePlease ll out theFor additional help in solving problems. contact Bose customer service.

See the inside backLifesMeso system 43Technical information. AccessoriesMultireom interfaceEurope 230V 50 Hz 19VA. Australia 240V 50 Hz 19VA. Mattimorn interface inputs. TAPE 2Vrms, maximum. AUX, VIDEO 1, VIDEO 2 ZVrms, maximum. FM antenna 750. AM antenna 12uH. Mumroom interface outputs.